

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) ~~Catalyst that comes~~ A catalyst in the form of grains, each grain being formed by a core covered by at least one external layer, the core consisting essentially of an acidic ~~porous~~ crystallized microporous solid and having a size of between ~~0.4~~ about 0.5 micron and ~~0.4 millimeter~~ about 20 microns, ~~characterized in that~~ wherein the external layer is a crystallized microporous solid and has a uniform thickness with a uniformity criterion, C, which is less than 0.30, whereby said uniformity criterion C is defined as being equal to an average, on a number N of catalyst grain samples, of the ratio of the difference between the maximum thickness, $E_{i_{max}}$, of the external layer and the minimum thickness, $E_{i_{min}}$, of this same layer to the average of these two thicknesses $E_{i_{max}}$ and $E_{i_{min}}$, and with the provision that the grains have an overall average thickness of the external layer of between 0.1 and 10 microns yielding a maximum average grain size of about 40 microns.

2. (Currently Amended) ~~Catalyst~~ A catalyst according to claim 1, wherein at least 95% of the surface of the core of the grains is covered by at least one external layer.

3. (Currently Amended) ~~Catalyst~~ A catalyst according to claim 1, wherein the chemical composition of the core is different from that of the external layer.

4. (Cancelled)

5. (Cancelled)

6. (Currently Amended) ~~Catalyst~~ A catalyst according to ~~claim 5~~ claim 1, wherein the crystallized microporous solid of the external layer has pores that have a diameter of between 0.1 and 2 nm.

7. (Currently Amended) ~~Catalyst A~~ A catalyst according to claim 1, wherein the core and the external layer are zeolites.
8. (New) A catalyst according to claim 1, wherein N is at least 100.
9. (New) A catalyst according to claim 1, wherein the uniformity criterion C is less than 0.2.
10. (New) A catalyst according to claim 1, wherein the uniformity criterion C is less than 0.1.
11. (New) A catalyst according to claim 9, wherein N is at least 100.
12. (New) A catalyst according to claim 10, wherein N is at least 100.
13. (New) A catalyst according to claim 12, wherein at least 99% of the surface of the core of the grains is covered by at least one external layer.
14. (New) A catalyst according to claim 1, wherein the grains consist essentially of a beta zeolite layer on a Y zeolite core and the uniformity Criterion is about 0.1.
15. (New) A catalyst according to claim 1, comprising grains consisting essentially of a silica lite-1 zeolite layer on a beta zeolite core and wherein the silica lite-1 layer has an average thickness of about 1100 nm and a uniformity Criterion of about 0.08.
16. (New) A catalyst according to claim 1, wherein the crystallized microporous solid of the external layer has pores that have a diameter of between 0.1 and 1.5 nm.

17. (New) A catalyst according to claim 1, wherein the crystallized microporous solid of the external layer has pores that have a diameter of between 0.1 and 1 nm.